

# 5kg Refinery Plant

## 5GRP



**1 Year Service + Free Setup Included**

### Specifications

- Titanium reactor
- 200ltr pp precipitation tank
- Hot plate with temperature control
- Glass condenser - 24in
- 2hp air pump
- Pp filter unit - 2pcs
- 10ft tower scrubber
- 2hp blower
- 1hp caustic soda dousing pump
- Etp plant - 500ltr
- 500ltr collection tank
- 100ltr treated water tank
- 100ltr waste sludge storage tank
- 1hp turbine blower
- Caustic soda auto dousing pump
- Carbon/Sand filter
- 150 lpm magnet pump
- Single SS fume scrubber - 6ft/12in
- 1hp / 1440 rpm blower

# 25kg Refinery Plant

## 25GRP

1 Year Service + Free Setup Included

### Specifications

Titanium tank - 30 in/24 in  
Titanium sheet 3mm. grade 1  
1.5 in titanium ball valve  
3kW hot plate  
Stand with gear box  
Stand with staircase  
Plc for hot plate / staring motor / acid sousing pump



Titanium Tank



PPT Unit

### Specifications

Ppt unit - 900/900mm  
Stand and staircase  
1000 rpm motor with thirstier drive  
Bottom discharge pinch valve  
500 ltr. Smbs storage tank with 1/4 inch aodd pump  
20inch condenser  
PP filter unit - 600/600mm  
1/2 inch debam (boxer-ib-50) model aodd pump  
Top side acrylic cover

### Specifications

Tower scrubber - 10 ft  
PP caustic soda tank - 1200/1200/600 mm  
PP tower - ø 600 mm/ H 2400 mm  
PP pol ring - 1in/200kg  
100lpm acid dousing pump  
150 mm pp / 2.5 kg pipeline  
PP blower 1 hp/1440 rpm / 12 in

### Specifications

Tower scrubber - 18 ft  
PP caustic soda tank - 1500/1500/600 mm  
PP tower - ø 900 mm/ H 4500 mm  
PP pol ring - 1in/360kg  
150lpm acid dousing pump  
150 mm pp / 2.5 kg pipeline  
PP blower 3 hp/1440 rpm / 16 in



Tower Scrubber 10ft



Tower Scrubber 18ft

# 50kg Refinery Plant

## 50GRP



**1 Year Service + Free Setup Included**

### Specifications

Titanium tank - 30 in/36 in  
Titanium sheet 3mm. grade 1  
1.5 in titanium ball valve  
3kW hot plate  
Stand with gear box  
Stand with staircase  
Plc for hot plate / starting motor / acid sousing pump  
Pump ( 1plc for 2 tank)



Titanium Tank

### Specifications

Ppt unit - 900/900mm  
Stand and staircase  
1000 rpm motor with thirstier drive  
Bottom discharge pinch valve  
500 ltr. Smbs storage tank with 1/4 inch aodd pump  
20inch condenser  
PP filter unit - 600/600mm  
1/2 inch ARO make aodd pump  
Top side acrylic cover



PPT Unit

### Specifications

Tower scrubber - 10 ft  
PP caustic soda tank - 1200/1200/600 mm  
PP tower - ø 600 mm/ H 2400 mm  
PP pol ring - 1in/200kg  
100lpm acid dousing pump  
150 mm pp / 2.5 kg pipeline  
PP blower 1 hp/1440 rpm / 12 in



Tower Scrubber 10ft

### Specifications

Tower scrubber - 18 ft  
PP caustic soda tank - 1500/1500/600 mm  
PP tower - ø 900 mm/ H 4500 mm  
PP pol ring - 1in/360kg  
150lpm acid dousing pump  
150 mm pp / 2.5 kg pipeline  
PP blower 3 hp/1440 rpm / 16 in



Tower Scrubber 18ft



# 100kg Refinery Plant

## 100GRP



1 Year Service + Free Setup Included

# 200kg Refinery Plant

## 200GRP

